



A liquid bait for the reduction of reproductive capacity in rats.

**For use in tamper-resistant bait stations indoors and within 1 ft around external perimeters of agricultural farm buildings, transit systems, public and private buildings, commercial residential buildings, retail buildings, and/or other man-made structures. Not Intended for Consumer Use**

**Active Ingredients:**

4-Vinylcyclohexene diepoxide ..... 0.09604%

Triptolide ..... 0.00118%

**Other Ingredients:** ..... 99.90278%

**Total:** 100.0000%

**Keep Out of Reach of Children**

# CAUTION

Made in USA

EPA Reg. No. 91601-1

EPA Est. No. 91601-AZ-1

**Net Contents:**

**1-20 fl. oz.**

**(30-592 ml)**

### FIRST AID

**If on skin or clothing:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

**Note to Physician or Veterinarian:**

This product has been formulated for fertility control in rats. It may possibly induce transient infertility in small male and female mammals capable of reproduction.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

### PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

**CAUTION.** Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**Personal Protective Equipment:**

Wear protective nitrile gloves  $\geq$  14 mils or butyl rubber  $\geq$  14 mils, long sleeved shirts, and long pants when handling this product.

**Treatment for Pet Ingestion:** If animal consumes bait, and adverse health effects are observed, call a veterinarian.

### DIRECTIONS FOR USE

**READ THIS LABEL:** Read label attached to product. Follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FOR INDOOR NON-FOOD USE AND EXTERNAL PERIMETER TREATMENT ONLY:** For use in tamper-resistant bait stations inside and within 1 ft around external perimeters of agricultural farm buildings, transit systems, public and private buildings, commercial residential buildings, retail buildings, and/or other man-made structures.

**USE RESTRICTIONS:**

1. Store unused bait trays out of reach of children, pets, and livestock.
2. Bait stations must not be placed in areas where the contamination of food or surfaces that come in direct contact with food is possible.
3. Apply bait trays in a Tier 1 bait station.
4. To avoid damage to the bait station, do not use in areas open to hooved livestock or potentially destructive wildlife.
5. Do not place bait stations beyond 1 ft of the exterior perimeter of man-made structures.
6. Bait station must be secured when placed in areas where children, pets, non-target animals (including livestock), and when placed within 1 ft of the exterior perimeter of a building or transit station, or the general public may be present.
7. Do not place bait stations where they are likely to become submerged or inundated with water (e.g., below the mean higher high- water mark in tidal areas, in storm sewers, or in catch basins), or on an uneven surface.
8. Do not dilute or add anything to the product.
9. When used in an agricultural or retail setting, place bait stations away from food animals, animal feed, and customers.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats are most likely to find and consume bait. These areas can include concealed areas along walls, near burrows, near structural openings in floor, walls, or ceiling areas (e.g., in rafters, beams, or attics) or where other signs of rat activity have been observed. It is recommended that chew cards or non-toxic bait blocks be used to determine these locations. Reassess, if foraging locations change (e.g., due to seasonal changes or construction). Multiple bait stations may be placed in identified foraging areas if needed.

**APPLICATION DIRECTIONS:** Place bait station on a firm, level surface in an area of rat activity. Maintain an uninterrupted supply of bait in bait stations. Keep bait station and tray insert clean, dry and on a level surface. Check bait stations and replace bait insert as necessary, or at least every month. Properly dispose of any leftover bait, as instructed in the Storage and Disposal section of this label.

**Installing Bottles into Mounting Bracket:**

**To use new bait unit (tankless feeder tray):**

1. Place tray in bait station, ensuring it is level.
2. Remove seal. Liquid is ready for immediate use.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store only in original, sealed bait tray in a room temperature environment, inaccessible to unauthorized users, children, pets, livestock, and other non-target animals. **Disposal:** Do not re-use or refill empty containers. **If empty:** Place container in trash or offer for recycling. **If partly filled:** Cover the container and place in the trash. **Container Handling:** Trays are not to be reused or refilled. Dispose of trays by covering and placing in the trash or offer for recycling at approved waste disposal facility.

### DISCLAIMER

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Patent 9,956,235 Manufactured by: SenesTech, Inc., 777 W Pinnacle Peak Rd, Suite B104, Phoenix, AZ 85027

ContraPest® is a registered trademark of SenesTech, Inc.

**SENESTECH.**